

VIA FIRST CLASS MAIL

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to the Commissioner of Patents & Trademarks, Washington D.C. 20231, on

9/20/01

FULBRIGHT & JAWORSKI, L.L.P.

By Jeanette Crosson



NIAD-214.1 (10103780)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s) : JACOBSON, et al
Serial No. : 09/834,228
Filed : April 12, 2001
For : METHODS AND COMPOSITIONS USEFUL IN
ENHANCING OXYGEN DELIVERY TO CELLS
Group Art Unit : UNKNOWN
Examiner : UNKNOWN

September 19, 2001

Hon. Commissioner of Patents
and Trademarks
Washington, D.C. 20231

LETTER

SIR:

Responsive to the Notice of September 17, a copy of which is attached, transmitted are replacement drawings.

Any extensions needed herewith are requested. Please charge fees to Deposit Account 500624.

Respectfully submitted,

FULBRIGHT & JAWORSKI, L.L.P.

By Norman D. Hanson

Norman D. Hanson
Reg. No. 30,946

666 Fifth Avenue
New York, New York 10103
(212) 318-3000



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/834,228	04/12/2001	Elaine L. Jacobson	NIAD-214.1 US

CONFIRMATION NO. 3352

FORMALITIES LETTER



OC00000006560400

Fulbright & Jaworski LLP
666 Fifth Avenue
New York, NY 10103

Date Mailed: 09/17/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may,however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a)accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:

- drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Request Woldeyes
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

DOCKET DEPT.
RECEIVED
2001 SEP 19 A 10:06
FULBRIGHT & JAWORSKI, LLP
NEW YORK OFFICE